

PUBLIKATIONEN

Priv.-Doz. Dr. Dr. Erwin Biecker, Chefarzt Klinik für Gastroenterologie

Gabor JJ, Kreidenweiss A, Weber S, et al. A call to caution when hydroxychloroquine is given to elderly patients with COVID-19. *Int J Infect Dis* 2021;106:265-8.

Biecker E. Diagnosis and Surveillance of Esophageal Varices in Liver Cirrhosis. In: Xiaozhong G, Xingshun, Q., ed. *Variceal Bleeding in Liver Cirrhosis*. Singapore: Springer; 2021.

Gotz M, Anders M, Biecker E, et al. [S2k Guideline Gastrointestinal Bleeding - Guideline of the German Society of Gastroenterology DGVS]. *Z Gastroenterol* 2017;55:883-936.

Biecker A, Bitzer M, Biecker E. Q Fever Pneumonia in Southwest Germany: Radiographic and Clinical Findings. *Rofo* 2017;189:146-51.

Stollenwerk J, Schepke M, Biecker E. Causes of altered liver function tests - the role of alpha-1 antitrypsin. *Z Gastroenterol* 2016;54:1055-60.

Biecker E. A (Not So) Rare Complication of Colonoscopy. *Gastroenterology* 2016;151:e18-e9.

Biecker E, Floer M, Heinecke A, et al. Novel endocuff-assisted colonoscopy significantly increases the polyp detection rate: a randomized controlled trial. *J Clin Gastroenterol* 2015;49:413-8.

Biecker E. Diagnosis and therapy of non-variceal upper gastrointestinal bleeding. *World J Gastrointest Pharmacol Ther* 2015;6:172-82.

Floer M, Biecker E, Fitzlaff R, et al. Higher adenoma detection rates with endocuff-assisted colonoscopy - a randomized controlled multicenter trial. *PLoS One* 2014;9:e114267.

Claudi C, Henschel M, Vogel J, Schepke M, Biecker E. Fulminant sepsis after liver biopsy: A long forgotten complication? *World J Clin Cases* 2013;1:41-3.

Biecker E. Portal hypertension and gastrointestinal bleeding: Diagnosis, prevention and management. *World J Gastroenterol* 2013;19:5035-50.

Biecker E. Gastrointestinal Bleeding in Cirrhotic Patients with Portal Hypertension. *ISRN Hepatology* 2013;2013:20.

Biecker E, Hausdorfer I, Grunhage F, Strunk H, Sauerbruch T. Critical flicker frequency as a marker of hepatic encephalopathy in patients before and after transjugular intrahepatic portosystemic shunt. *Digestion* 2011;83:24-31.

Biecker E, Fischer HP, Schepke M. Nodular regenerative hyperplasia and portal hypertension in a patient with coeliac disease. *Case reports in gastrointestinal medicine* 2011;1-3.

Biecker E. Diagnosis and therapy of ascites in liver cirrhosis. *World J Gastroenterol* 2011;17:1237-48.

Funken C, Biecker E, Abu-Nasir H, Momertz G. Ulzerierende, ischämische Gastritis. *Gefässchirurgie* 2010.

Schepke M, Biecker E, Appenrodt B, Heller J, Sauerbruch T. Coexisting gastric varices should not preclude prophylactic ligation of large esophageal varices in cirrhosis. *Digestion* 2009;80:165-9.

Biecker E, Classen L, Sauerbruch T, Schepke M. Does therapy of oesophageal varices influences the progression of varices? *Eur J Gastroenterol Hepatol* 2009;21:751-5.

Trebicka J, Leifeld L, Hennenberg M, et al. Hemodynamic effects of urotensin II and its specific receptor antagonist palosuran in cirrhotic rats. *Hepatology* 2008;47:1264-76.

Trebicka J, Biecker E, Gruenhage F, et al. Diagnosis of megacystis-microcolon intestinal hypoperistalsis syndrome with aplastic desmosis in adulthood: a case report. *Eur J Gastroenterol Hepatol* 2008;20:353-5.

Biecker E, Trebicka J, Kang A, Hennenberg M, Sauerbruch T, Heller J. Treatment of bile duct-ligated rats with the nitric oxide synthase transcription enhancer AVE 9488 ameliorates portal hypertension. *Liver Int* 2008;28:331-8.

Biecker E, Heller J, Schmitz V, Lammert F, Sauerbruch T. Diagnosis and management of upper gastrointestinal bleeding. *Dtsch Arztebl Int* 2008;105:85-94.

Trebicka J, Leifeld L, Hennenberg M, et al. Hemodynamic effects of urotensin II and its specific receptor antagonist palosuran in cirrhotic rats. *Hepatology* 2007.

Trebicka J, Hennenberg M, Laleman W, et al. Atorvastatin lowers portal pressure in cirrhotic rats by inhibition of RhoA/Rho-kinase and activation of endothelial nitric oxide synthase. *Hepatology* 2007;46:242-53.

Hennenberg M, Trebicka J, Biecker E, Schepke M, Sauerbruch T, Heller J. Vascular dysfunction in human and rat cirrhosis: role of receptor-desensitizing and calcium-sensitizing proteins. *Hepatology* 2007;45:495-506.

Biecker E, Roth F, Heller J, Schild HH, Sauerbruch T, Schepke M. Prognostic role of the initial portal pressure gradient reduction after TIPS in patients with cirrhosis. *Eur J Gastroenterol Hepatol* 2007;19:846-52.

Zhou Q, Hennenberg M, Trebicka J, et al. Intrahepatic upregulation of RhoA and Rho-kinase signalling contributes to increased hepatic vascular resistance in rats with secondary biliary cirrhosis. *Gut* 2006;55:1296-305.

Shaw SG, Boden JP, Biecker E, Reichen J, Rothen B. Endothelin antagonism prevents diabetic retinopathy in NOD mice: a potential role of the angiogenic factor adrenomedullin. *Exp Biol Med (Maywood)* 2006;231:1101-5.

Hennenberg M, Biecker E, Trebicka J, et al. Defective RhoA/Rho-kinase signaling contributes to vascular hypocontractility and vasodilation in cirrhotic rats. *Gastroenterology* 2006;130:838-54.

De Gottardi A, Biecker E, Koshy A, et al. Sensitivity to endothelin-1 is decreased in isolated livers of endothelial constitutive nitric oxide synthase knockout mice. *Comp Hepatol* 2006;5:9.

Biecker E, Trebicka J, Fischer HP, Sauerbruch T, Lammert F. Portal hypertension and nodular regenerative hyperplasia in a patient with celiac disease. *Z Gastroenterol* 2006;44:395-8.

Biecker E, Sauerbruch T. [Control of infection in gastrointestinal endoscopy]. *Dtsch Med Wochenschr* 2006;131:2726-32.

Biecker E, Fischer HP, Lutterbey G, Putz U, Sauerbruch T, Lammert F. [Recurring, severe upper abdominal pain in a 45 year old patient]. *Internist (Berl)* 2006;47:1068-72.

Biecker E, Schepke M, Sauerbruch T. The role of endoscopy in portal hypertension. *Dig Dis* 2005;23:11-7.

Biecker E, Heller J, Appenrodt B, Schepke M, Sauerbruch T. [Gastrointestinal bleeding in portal hypertensive patients]. *Z Gastroenterol* 2005;43:35-46.

Biecker E, De Gottardi A, Neef M, et al. Long-term treatment of bile duct-ligated rats with rapamycin (sirolimus) significantly attenuates liver fibrosis: analysis of the underlying mechanisms. *J Pharmacol Exp Ther* 2005;313:952-61.

Tsui JC, Baker DM, Biecker E, Shaw S, Dashwood MR. Altered endothelin-1 levels in acute lower limb ischemia and reperfusion. *Angiology* 2004;55:533-9.

- Biecker E, Sagesser H, Reichen J. Vasodilator mRNA levels are increased in the livers of portal hypertensive NO-synthase 3-deficient mice. *Eur J Clin Invest* 2004;34:283-9.
- Biecker E, Neef M, Sagesser H, Shaw S, Koshy A, Reichen J. Nitric oxide synthase 1 is partly compensating for nitric oxide synthase 3 deficiency in nitric oxide synthase 3 knock-out mice and is elevated in murine and human cirrhosis. *Liver Int* 2004;24:345-53.
- Tsui JC, Baker DM, Biecker E, Shaw S, Dashwood MR. Evidence for the Involvement of Endothelin-1 but not Urotensin-II in Chronic Lower Limb Ischaemia in Man. *Eur J Vasc Endovasc Surg* 2003;25:443-50.
- Neef M, Biecker E, Heller J, et al. Portal hypertension is associated with increased mRNA levels of vasopressor G-protein-coupled receptors in human hepatic arteries. *Eur J Clin Invest* 2003;33:249-55.
- Biecker E, Zimmermann A, Dufour JF. Spontaneous regression of an inflammatory pseudotumor of the liver. *Z Gastroenterol* 2003;41:991-4.
- Biecker E, Zeidler D, Klingmuller D, Layer P, Sauerbruch T. [Muscle weakness, skin manifestations and para-hilar space-occupying lesions in a 59-year-old patient. Cushing disease and pulmonary lymph node tuberculosis]. *Internist (Berl)* 2003;44:209-14.
- Biecker E, Stieger M, Zimmermann A, Reichen J. Autoimmune hepatitis, cryoglobulinaemia and untreated coeliac disease: a case report. *Eur J Gastroenterol Hepatol* 2003;15:423-7.
- Biecker E, Fischer HP, Strunk H, Sauerbruch T. Benign Liver Tumors. In: Scheppach W, Bresalier RS, Tytgat GN, eds. *Gastrointestinal and liver tumors*. 1. ed. Berlin Heidelberg New York: Springer Verlag; 2003:295-311.
- Biecker E, Fischer HP, Strunk H, Sauerbruch T. Benign hepatic tumours. *Z Gastroenterol* 2003;40:191-200.
- Tsui JC, Baker DM, Biecker E, Shaw S, Dashwood MR. Potential role of endothelin 1 in ischaemia-induced angiogenesis in critical leg ischaemia. *Br J Surg* 2002;89:741-7.
- Balsiger B, Rickenbacher A, Boden PJ, et al. Endothelin A-receptor blockade in experimental diabetes improves glucose balance and gastrointestinal function. *Clin Sci (Lond)* 2002;103 Suppl 1:430S-3S.
- Schepke M, Werner E, Biecker E, et al. Hemodynamic effects of the angiotensin II receptor antagonist irbesartan in patients with cirrhosis and portal hypertension. *Gastroenterology* 2001;121:389-95.
- Biecker E, Schwarze C, Ko YD, Sauerbruch T. [Renal failure, thrombocytopenia and hemolytic anemia in a 36-year-old patient]. *Internist (Berl)* 2001;42:1031-4.
- Biecker E, Schachtschabel DO. [Decreased stimulation of glycosaminoglycan synthesis by human skin fibroblasts by interleukin 6 within the scope of in vitro aging]. *Z Gerontol Geriatr* 2001;34:408-14.
- Schroers R, Biecker E, Keller E, Sauerbruch T. [59-year-old patient with chronic joint symptoms and generalized weakness]. *Internist (Berl)* 2000;41:56-60.
- Biecker E, Schachtschabel DO. [Decreased stimulation of glycosaminoglycan synthesis in cultured human skin fibroblasts within the scope of in vitro aging caused by interleukin 1]. *Z Gerontol Geriatr* 1999;32:124-30.
- Biecker E, Brensing KA, Perz J, Woitas R, Sauerbruch T. [The therapy of the hepatorenal syndrome in liver cirrhosis]. *Dtsch Med Wochenschr* 1999;124:1039-42.