

PUBLIKATIONEN

Priv.-Doz. Dr.med. Otto Tschritter, Chefarzt der Klinik für Notfall- & Akutmedizin

Schädle P, Tschritter O, Kellerer M: Metformin Associated Lactic Acidosis in Clinical Practice - A Case Series. *Exp Clin Endocrinol Diabetes*. 2020 May 13. doi: 10.1055/a-1149-9030. Online ahead of print.2020.

Kullmann S, Valenta V, Wagner R, Tschritter O, Machann J, Häring HU, Preissl H, Fritsche A, Heni M. Brain insulin sensitivity is linked to adiposity and body fat distribution. *Nat Commun*. 2020 Apr 15;11(1):1841. doi: 10.1038/s41467-020-15686-y.2020.

Bunz H, Tschritter O, Haap M, Riessen R, Heyne N, Artunc F. Elimination of Contrast Agent Gadobutrol with Sustained Low Efficiency Daily Dialysis Compared to Intermittent Hemodialysis. *Kidney Blood Press Res*. 2019;44(6):1363-1371. doi: 10.1159/000502960. Epub 2019 Nov 21. 2019

Ketterer C, Heni M, Stingl K, Tschritter O, Linder K, Wagner R, Machicao F, Häring HU, Preissl H, Staiger H, Fritsche A. Urinary Neutrophil Gelatinase-Associated Lipocalin (NGAL) and proteinuria predict severity of acute kidney injury in Puumala virus infection. *BMC Infect Dis*. 2015 Oct 27;15:464. 2015

Ketterer C, Heni M, Stingl K, Tschritter O, Linder K, Wagner R, Machicao F, Häring HU, Preissl H, Staiger H, Fritsche A. Polymorphism rs3123554 in CNR2 reveals gender-specific effects on body weight and affects loss of body weight and cerebral insulin action. *Obesity (Silver Spring)*. 2014 Mar;22(3):925-31. 2014

Sartorius T, Heni M, Tschritter O, Preissl H, Hopp S, Fritsche A, Lievertz PS, Gertler A, Berthou F, Taouis M, Staiger H, Häring HU, Hennige AM. Leptin affects insulin action in astrocytes and impairs insulin-mediated physical activity *Cell Physiol Biochem*. 2012;30(1):238-46. 2012

Tschritter O, Preissl H, Hennige AM, Sartorius T, Stingl KT, Heni M, Ketterer C, Stefan N, Machann J, Schleicher E, Fritsche A, Häring HU High cerebral insulin sensitivity is associated with loss of body fat during lifestyle intervention. *Diabetologia*. 2011 Sep 17. DOI 10.1007/s00125-011-2309-z [Epub ahead of print]. 2011

Tschritter O, Haupt A, Preissl H, Ketterer C, Hennige AM, Sartorius T, Machicao F, Fritsche A, Häring HU An Obesity Risk SNP (rs17782313) near the MC4R Gene Is Associated with Cerebrocortical Insulin Resistance in Humans. *J Obes*. 2011;2011:283153. Epub 2011 Jun 3. 2011

Guthoff M, Stingl KT, Tschritter O, Rogic M, Heni M, Stingl K, Hallschmid M, Häring HU, Fritsche A, Preissl H, Hennige AM. The insulin-mediated modulation of visually evoked magnetic fields is reduced in obese subjects. *PLoS One*. 2011 May 11;6(5):e19482. 2011

Guthoff M, Tschritter O, Berg D, Liepelt I, Schulte C, Machicao F, Breer H, Haering HU, Fritsche A A polymorphism in the gene encoding AdipoR1 affects olfactory recognition. *Int J Obes (Lond)*. 2010 Oct 12. 35(6):872-876. 2010

Stingl KT, Rogić M, Stingl K, Canova C, Tschritter O, Braun C, Fritsche A, Preissl H. The temporal sequence of magnetic brain activity for food categorization and memorization--an exploratory study. *Neuroimage*. 2010 Oct 1;52(4):1584-91. Epub 2010 May 7. 2010

Guthoff M, Grichisch Y, Canova C, Tschritter O, Veit R, Hallschmid M, Häring HU, Preissl H, Hennige AM, Fritsche A. Insulin Modulates Food-Related Activity in the Central Nervous System. *J Clin Endocrinol Metab.* 2010 Feb;95(2):748-55. Epub 2009 Dec 8. 2010

Tschritter O, Preissl H, Hennige AM, Sartorius T, Grichisch Y, Stefan N, Guthoff M, Düsing S, Machann J, Schleicher E, Cegan A, Birbaumer N, Fritsche A, Häring HU The Insulin Effect on Cerebrocortical Theta Activity Is Associated with Serum Concentrations of Saturated Nonesterified Fatty Acids. *J Clin Endocrinol Metab.* 2009 Nov;94(11):4600-7. Epub 2009 Oct 9. 2009

Hennige AM, Sartorius T, Lutz SZ, Tschritter O, Preissl H, Hopp S, Fritsche A, Rammensee HG, Ruth P, Häring HU Insulin-mediated cortical activity in the slow frequency range is diminished in obese mice and promotes physical inactivity. *Diabetologia.* 2009 Nov;52(11):2416-24. Epub 2009 Sep 15. 2009

Tschritter O, Schäfer SA, Klett J, Pfäfflin A, Häring HU, Hennige AM, Fritsche A Insulin detemir causes increased symptom awareness during hypoglycaemia compared to human insulin. *Diabetes Obes Metab.* 2009 Nov;11(11):1017-26. Epub 2009 Jul 23. 2009

Haupt A, Thamer C, Heni M, Tschritter O, Machann J, Schick F, Machicao F, Häring HU, Staiger H, Fritsche A. Impact of Variation Near MC4R on Whole-body Fat Distribution, Liver Fat, and Weight Loss. *Obesity (Silver Spring).* 2009 Oct;17(10):1942-5. Epub 2009 Jul 30. 2009

Guthoff M, Tschritter O, Berg D, Liepelt I, Schulte C, Machicao F, Haering HU, Fritsche A. Effect of genetic variation in Kv1.3 on olfactory function. *Diabetes Metab Res Rev.* 2009 Sep;25(6):523-7 2009

Haupt A, Thamer C, Staiger H, Tschritter O, Kirchhoff K, Machicao F, Häring HU, Stefan N, Fritsche A. Variation in the FTO gene influences food intake but not energy expenditure. *Exp Clin Endocrinol Diabetes.* 2009 Apr;117(4):194-7. Epub 2008 Dec 3 2009

Tschritter O, Hennige AM, Preissl H, Grichisch Y, Kirchhoff K, Kantartzis K, Machicao F, Fritsche A, Häring HU Insulin effects on beta and theta activity in the human brain are differentially affected by aging. *Diabetologia.* 2009 Jan;52(1):169-71. Epub 2008 Nov 19. 2009

Weyrich P, Machicao F, Reinhardt J, Machann J, Schick F, Tschritter O, Stefan N, Fritsche A, Häring HU SIRT1 genetic variants associate with the metabolic response of Caucasians to a controlled lifestyle intervention--the TULIP Study. *BMC Med Genet.* 2008 Nov 12;9:100. 2008

Haupt A, Thamer C, Machann J, Kirchhoff K, Stefan N, Tschritter O, Machicao F, Schick F, Häring HU, Fritsche A. Impact of Variation in the FTO Gene on Whole Body Fat Distribution, Ectopic Fat, and Weight Loss. *Obesity (Silver Spring).* 2008 Aug;16(8):1969-72. Epub 2008 May 29. 2008

Rittig K, Peter A, Baltz KM, Tschritter O, Weigert C, Andreozzi F, Perticone F, Siegel-Axel DI, Stefan N, Fritsche A, Salih HR, Schleicher E, Machicao F, Sesti G, Häring HU, Balletshofer BM The CCR2 promoter polymorphism T-960A, but not the serum MCP-1 level, is associated with endothelial function in prediabetic individuals. *Atherosclerosis.* 2008 Jun;198(2):338-46. Epub 2007 Dec 21 2008

Kirchhoff K, Machicao F, Haupt A, Schäfer SA, Tschritter O, Staiger H, Stefan N, Häring HU, Fritsche A. Polymorphisms in the TCF7L2, CDKAL1 and SLC30A8 genes are associated with impaired proinsulin conversion. *Diabetologia*. 2008 Apr;51(4):597-601. Epub 2008 Feb 9. 2008

Rittig K, Holder K, Stock J, Tschritter O, Peter A, Stefan N, Fritsche A, Machicao F, Häring HU, Balletshofer B. Endothelial NO-synthase intron 4 polymorphism is associated with disturbed in vivo nitric oxide production in individuals prone to type 2 diabetes. *Horm Metab Res*. 2008 Jan;40(1):13-7. Epub 2007 Dec 20. 2008

Schäfer SA, Tschritter O, Machicao F, Thamer C, Stefan N, Gallwitz B, Holst JJ, Dekker JM, T'hart LM, Nijpels G, van Haeften TW, Häring HU, Fritsche A. Impaired glucagon-like peptide-1-induced insulin secretion in carriers of transcription factor 7-like 2 (TCF7L2) gene polymorphisms. *Diabetologia*. 2007 Dec;50(12):2443-245. 2007

Tschritter O, Preissl H, Yokoyama Y, Machicao F, Häring HU, Fritsche A. Variation in the FTO Gene Locus is Associated with Cerebrocortical Insulin Resistance in Humans. *Diabetologia* 2007 Dec;50(12):2602-2603.2007

Tschritter O, Hennige AM, Preissl H, Porubaska K, Schäfer SA, Lutzenberger W, Machicao F, Birbaumer N, Fritsche A, Häring HUCerebrocortical Beta Activity in Overweight Humans Responds to Insulin Detemir. *PLoS ONE* 2007 Nov 11;2(11):e1196. 2007

Staiger H, Machicao F, Stefan N, Tschritter O, Thamer C, Kantartzis K, Schäfer SA, Kirchhoff K, Fritsche A, Häring HU. Polymorphisms within Novel Risk Loci for Type 2 Diabetes Determine β -Cell Function *PLoS ONE* 2007 Sep 5;2(9):e832 2007

Tschritter O, Preissl H Hennige AM, Stumvoll M, Porubaska K, Frost R, Marx H, Klosel B, Lutzenberger W, Birbaumer N, Haring HU, Fritsche A The cerebrocortical response to hyperinsulinemia is reduced in overweight humans: A magnetoencephalographic study. *Proc.Natl.Acad.Sci.U.S.A.* 2006, 103:12103-12108. 2006

Hennige AM, Sartorius T, Tschritter O, Preissl H, Fritsche A, Ruth P, Haring HU. Tissue selectivity of insulin detemir action. *Diabetologia* 2006, 49:1274-1282. 2006

Haap M, Heller E, Thamer C, Tschritter O, Stefan N, Fritsche A. Association of serum phosphate levels with glucose tolerance, insulin sensitivity and insulin secretion in non-diabetic subjects. *Eur J Clin Nutr*. 2006 Jun;60(6):734-9. 2006

Thamer C, Haap M, Heller E, Joel L, Braun S, Tschritter O, Haring H, Fritsche A. Beta cell function, insulin resistance and plasma adiponectin concentrations are predictors for the change of postprandial glucose in non-diabetic subjects at risk for type 2 diabetes. *Horm Metab Res*. 2006 Mar;38(3):178-82. 2006

Tschritter O, Machicao F, Stefan N, Schäfer S, Weigert C, Staiger H, Spieth C, Häring HU, Fritsche A A New Variant in the Promoter/5'-UTR of the Human Kv1.3 Gene Is Associated With Low Insulin Sensitivity and Impaired Glucose Tolerance. *J Clin Endocrinol Metab*. 2006 Feb;91(2):654-8. Epub 2005 Nov 29. 2006

Stefan N, Machicao F, Staiger H, Machann J, Schick F, Tschritter O, Spieth C, Weigert C, Fritsche A, Stumvoll M, Haring HU. Polymorphisms in the gene encoding adiponectin receptor 1 are associated with insulin resistance and high liver fat. *Diabetologia* 2005, 48:2282-2291. 2005

Kantartzis K, Fritsche A, Tschritter O, Thamer C, Haap M, Schafer S, Stumvoll M, Haring HU, Stefan N. The association between plasma adiponectin and insulin sensitivity in humans depends on obesity. *Obes Res.* 2005 Oct;13(10):1683-91. 2005

Haap M, Machicao F, Stefan N, Thamer C, Tschritter O, Schnuck F, Wallwiener D, Stumvoll M, Haring HU, Fritsche A. Genetic determinants of insulin action in polycystic ovary syndrome. *Exp Clin Endocrinol Diabetes.* 2005 May;113(5):275-81. 2005

Thamer C, Tschritter O, Haap M, Shirkavand F, Machann J, Fritsche A, Schick F, Haring H, Stumvoll M. Elevated serum GGT concentrations predict reduced insulin sensitivity and increased intrahepatic lipids. *Horm Metab Res.* 2005 Apr;37(4):246-51. 2005

Thamer C, Haap M, Bachmann O, Zur Nieden T, Tschritter O, Stefan N, Fritsche A, Jacob S, Stumvoll M, Haring H. Serum adiponectin levels predict the effect of short-term dietary interventions on insulin sensitivity in humans. *Diabetologia* 2004, 47:1303-1305. 2004

Stumvoll M, Fritsche A, T'Hart LM, Machann J, Thamer C, Tschritter O, Van Haefen TW, Jacob S, Dekker JM, Maassen JA, Machicao F, Schick F, Heine RJ, Haring H. The Gly482Ser Variant in the Peroxisome Proliferator-Activated Receptor gamma Coactivator-1 is not Associated with Diabetes-Related Traits in Non-Diabetic German and Dutch Populations. *Exp Clin Endocrinol Diabetes.* 2004 May;112(5):253-7. 2004

Stefan N, Fritsche A, Machicao F, Tschritter O, Häring HU, Stumvoll M. The Gly1057Asp polymorphism in IRS-2 interacts with obesity to affect beta cell function. *Diabetologia* 2004, 47:759-761. 2004

Thamer C, Machann J, Haap M, Bachmann O, Wietek B, Dahl D, Tschritter O, Fritsche A, Jacob S, Schick F, Stumvoll M, Haring H. [Reduced insulin effect in subclinical fatty liver]. *Dtsch Med Wochenschr.* 2004 Apr 16;129(16):872-5. 2004

Thamer C, Stumvoll M, Niess A, Tschritter O, Haap M, Becker R, Shirkavand F, Bachmann O, Rett K, Volk A, Haring H, Fritsche A. Reduced skeletal muscle oxygen uptake and reduced beta-cell function: two early abnormalities in normal glucose-tolerant offspring of patients with type 2 diabetes. *Diabetes Care.* 2003 Jul;26(7):2126-32. 2003

Tschritter O, Fritsche A, Stefan N, Haap M, Thamer C, Bachmann O, Dahl D, Maerker E, Teigeler A, Machicao F, Haring H, Stumvoll M. Increased insulin clearance in peroxisome proliferator-activated receptor gamma2 Pro12Ala. *Metabolism.* 2003 Jun;52(6):778-83. 2003

Thamer C, Machann J, Bachmann O, Haap M, Dahl D, Wietek B, Tschritter O, Niess A, Brechtel K, Fritsche A, Claussen C, Jacob S, Schick F, Haring HU, Stumvoll M. Intramyocellular lipids: anthropometric determinants and relationships with maximal aerobic capacity and insulin sensitivity. *J Clin Endocrinol Metab.* 2003 Apr;88(4):1785-91. 2003

Tschritter O, Fritsche A, Shirkavand F, Machicao F, Häring H, Stumvoll M. Assessing the shape of the glucose curve during an oral glucose tolerance test. *Diabetes Care* 2003, 26:1026-1033. 2003

Staiger H, Tschritter O, Machann J, Thamer C, Fritsche A, Maerker E, Schick F, Haring HU, Stumvoll M. Relationship of serum adiponectin and leptin concentrations with body fat distribution in humans. *Obes Res.* 2003 Mar;11(3):368-72. 2003

Tschritter O, Fritsche A, Thamer C, Haap M, Shirkavand F, Rahe S, Staiger H, Maerker E, Haring H, Stumvoll M. Plasma adiponectin concentrations predict insulin sensitivity of both glucose and lipid metabolism. *Diabetes.* 2003 Feb;52(2):239-43. 2003

Thamer C, Machann J, Tschritter O, Haap M, Wietek B, Dahl D, Bachmann O, Fritsche A, Jacob S, Stumvoll M, Schick F, Haring HU. Relationship between serum adiponectin concentration and intramyocellular lipid stores in humans. *Horm Metab Res.* 2002 Nov-Dec;34(11-12):646-9. 2002

Staiger H, Tschritter O, Kausch C, Lammers R, Stumvoll M, Häring HU. Human serum adiponectin levels are not under short-term negative control by free fatty acids in vivo. *Horm. Metab. Res.* 2002, 34:601-603. 2002

Tschritter O, Stumvoll M, Machicao F, Holzwarth M, Weisser M, Maerker E, Teigeler A, Häring H, Fritsche A. The prevalent Glu23Lys polymorphism in the potassium inward rectifier (KIR) 6.2 gene is associated with impaired glucagon suppression in response to hyperglycemia. *Diabetes* 2002, 51:2854-2860. 2002

Haap M, Thamer C, Machann J, Tschritter O, Loblein K, Kellerer M, Schick F, Jacob S, Haring HU, Stumvoll M. Metabolic characterization of a woman homozygous for the Ser113Leu missense mutation in carnitine palmitoyl transferase II. *J Clin Endocrinol Metab.* 2002 May;87(5):2139-43. 2002

Fritsche A, Madaus A, Stefan N, Tschritter O, Maerker E, Teigeler A, Häring H, Stumvoll M. Relationships among age, proinsulin conversion and beta cell function in non-diabetic humans. *Diabetes* 2002, 51 Suppl 1:S234-S239. 2002

Stumvoll M, Stefan N, Fritsche A, Madaus A, Tschritter O, Koch M, Machicao F, Häring H. Interaction effect between common polymorphisms in PPARgamma (Pro12Ala) and IRS-1 (Gly972Arg) on insulin sensitivity. *J. Mol. Med.* 2002, 80(1):33-38. 2002

Stumvoll M, Tschritter O, Fritsche A, Staiger H, Renn W, Weisser M, Machicao F, Häring H. Association of the T-G polymorphism in adiponectin (exon 2) with obesity and insulin sensitivity. Interaction with family history of diabetes. *Diabetes* 2002, 51(1):37-41. 2002

Fritsche A, Madaus A, Renn W, Tschritter O, Teigeler A, Weisser M, Maerker E, Machicao F, Häring H, Stumvoll M. The prevalent Gly1057Asp polymorphism in the insulin receptor substrate -2 gene is not associated with impaired insulin secretion. *J Clin Endocrinol Metab.* 2001, 86(10):4822-4825. 2001

Fritsche A, Madaus A, Tschritter O, Özeker M, Wulle EL, Machicao F, Häring H, Stumvoll M. Polymorphism of pro12Ala in peroxisome proliferator activated receptor gamma 2 (PPAgamma2): beta cell function and insulin sensitivity. *Dtsch. Med. Wschr.* 2001, 126(20):580-584. 2001

Stumvoll M, Fritsche A, Tschritter O, Lehmann R, Wahl HG, Renn W, Häring H. Leptin Levels in Humans Are Acutely Suppressed by Isoproterenol Despite Acipimox-Induced Inhibition of Lipolysis, But Not by Free Fatty Acids. *Metabolism* 2000, 49(3):335-339. 2000

Riessen R, Tschritter O, Janssens U, Haap M. [Catecholamines: pro and contra]. Med Klin Intensivmed Notfmed. 2016 Feb;111(1):37-46. 2016

Haap M, Tschritter O, Artunc F, Rettig I, Riessen R Hypercalcemic crisis in intensive care. Dtsch Med Wochenschr. 2012 May;137(21):1100-4. 2012

Ketterer C, Tschritter O, Preissl H, Heni M, Häring HU, Fritsche A Insulin sensitivity of the human brain. Diabetes Res Clin Pract. 2011 Aug;93 Suppl 1:S47-51. 2011

Tschritter O, Fritsche A, Gallwitz B, Häring HU Langwirkende Insulinanaloge in der Therapie des Diabetes mellitus Typ 1 und Typ 2 - Eine Zusammenfassung der klinischen Studien und Metaanalysen. Diabetes & Stoffwechsel 2005, 14:375-382. 2005

Fritsche A, Tschritter O, Häring H, Gerich J, Stumvoll M The role of beta adrenergic sensitivity in the pathogenesis of hypoglycemia unawareness. Diab. Nutr. Metab. 2002, 15:357-361. 2002

Tschritter O, Büttner M, Weyrich P, Artunc F. [Rapid progressive glomerulonephritis as a nephrological emergency--case 8/2013]. Dtsch Med Wochenschr. 2013 Oct;138(44):2250. 2013

Tschritter O, Maksimovic O, Haas CS. A sound investigation. Am J Med. 2010 Jun;123(6):520-1. 2010